PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)



Public Bidding for the Supply, Delivery and Installation of Closed-Circuit Television (CCTV) Cameras, Monitors and Office Equipment for the Emergency Operation Center of the Roxas City Government under ITB No. RC-2023-014

Government of the Republic of the Philippines

Sixth Edition July 2020

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	3
Sectio	on I. Invitation to Bid	6
	on II. Instructions to Bidders	
1.	Scope of Bid	10
2.	Funding Information	10
3.	Bidding Requirements	10
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	10
5.	Eligible Bidders	10
6.	Origin of Goods	11
7.	Subcontracts	11
8.	Pre-Bid Conference	11
9.	Clarification and Amendment of Bidding Documents	11
10.	Documents comprising the Bid: Eligibility and Technical Components	11
11.	Documents comprising the Bid: Financial Component	12
12.	Bid Prices	12
13.	Bid and Payment Currencies	13
14.	Bid Security	13
15.	Sealing and Marking of Bids	13
16.	Deadline for Submission of Bids	14
17.	Opening and Preliminary Examination of Bids	14
18.	Domestic Preference	14
19.	Detailed Evaluation and Comparison of Bids	14
20.	Post-Qualification	15
21.	Signing of the Contract	15
Sectio	on III. Bid Data Sheet	16
Sectio	on IV. General Conditions of Contract	.17
1.	Scope of Contract	17
2.	Advance Payment and Terms of Payment	17
3.	Performance Security	17
4.	Inspection and Tests	17
5.	Warranty	18
6.	Liability of the Supplier	18
Sectio	on V. Special Conditions of Contract	.19
Sectio	on VI. Schedule of Requirements	.23
	on VII. Technical Specifications	
Sectio	on VIII. Checklist of Technical and Financial Documents	.35

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC - Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN - United Nations.

Section I. Invitation to Bid



Republic of the Philippines CITY OF ROXAS

City Hall, Roxas City 5800 (036) 620-5220

BIDS AND AWARDS COMMITTEE OFFICE

INVITATION TO BID FOR

Public Bidding for the Supply, Delivery and Installation of Closed-Circuit Television (CCTV) Cameras, Monitors and Office Equipment for the Emergency Operation Center of the Roxas City Government under ITB No. RC-2023-014

- 1. The Roxas City Government, through the GOP-2023 intends to apply the sum of Twenty-eight Million Eight Hundred Seventy-one Thousand Seventy-five Pesos and 08/100 (28,871,075.08). Bids Received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The *Roxas City Government* now invites bids for the above Procurement Project. Delivery of the Goods is required within **345 Calendar Days**. Bidders should have completed, within **Three (3) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from **Roxas City Government** and inspect the Bidding Documents at the address given below during 8:00 A.M. to 5:00 P.M.
- A complete set of Bidding Documents may be acquired by interested Bidders on May 18, 2023 to June 6, 2023 from the given address and website of Philippine Government Electronic Procurement System (PhilGEPS) and the Roxas City Government Website and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Php25,000.00. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.
- 6. The Roxas City Government will hold a Pre-Bid Conference on May 25, 2023 2:00 P.M. at CMO Conference Room, 2nd Floor, Roxas City Hall which shall be open to prospective bidders.

- 7. Bids must be duly received by the BAC Secretariat through **manual submission** at the office address indicated below on or before **June 6, 2023 02:00 P.M.** Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on **June 6**, **2023 02:00 P.M.** at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The **Roxas City Government** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

MEGAN G. BARRIENTOS
Head, BAC Secretariat
Roxas City Hall, Arzobispo Street, Roxas City, Capiz 5800
bacroxascity19@gmail.com
(036) 620-5220
roxascity.gov.ph

12. You may visit the following websites:
For downloading of Bidding Documents: philgeps.gov.ph
http://roxascity.gov.ph

May 18, 2023

BAC Chairperson

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, Roxas City Government wishes to receive Bids for Public Bidding for the Supply, Delivery and Installation of Closed-Circuit Television (CCTV) Cameras, Monitors and Office Equipment for the Emergency Operation Center of the Roxas City Government under ITB No. RC-2023-014.

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2023 in the amount of Twenty-eight Million Eight Hundred Seventy-one Thousand Seventy-five Pesos and 08/100 (28,871,075.08).
- 2.2. The source of funding is:
 - a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.

- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.
- 7.2. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **Three (3) years,** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and

- iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid for **120 calendar days**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the IB.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as One (1) Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA

No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendable period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITO						
ITB						
Clause						
5.3	For this of:	or this purpose, contracts similar to the Project shall be Supply and Delivery f:				
		ICT Equipment CCTV Equipment				
		Office Equipment				
	d.	completed within three (3) years prior to and receipt of bids.	the deadline for the submission			
12		ce of the Goods shall be quoted DDP I ble International Commercial Terms (IN				
14.1		I security shall be in the form of a Bid Seng forms and amounts:	curing Declaration, or any of the			
	 a. The amount of not less than 2% of the ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or 					
		The amount of not less than 5% of the Bond.	ABC, if bid security is in Surety			
19.3	Item No.	Description	ABC			
	1	Supply, Delivery and Installation of Closed-Circuit Television (CCTV) Cameras, Monitors and Office Equipment for the Emergency Operation Center of the Roxas City Government	₱ 28,871,075.08			
		GRAND TOTAL	₱28,871,075.08			
20.2	None					
21.2	None					

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause							
1	Delivery and Documents –						
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:						
	The delivery terms applicable to this Contract are delivered <i>in the Roxas City Government</i> . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.						
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).						
	For purposes of this Clause the Procuring Entity's Representative at the Project Site.						
	Incidental Services –						
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:						
	 a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; 						
	b. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;						
	c. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and;						
	d. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.						
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.						
	Closed-Circuit Television (CCTV) Cameras, Monitors and Office Equipment -						

The Supplier is required to provide all of the following materials, notifications. and information pertaining to Closed-Circuit Television (CCTV) Cameras. Monitors and Office Equipment manufactured or distributed by the Supplier: a. Closed-Circuit Television (CCTV) Cameras, Monitors and Office **Equipment** as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and b. in the event of termination of production of the Closed-Circuit Television (CCTV) Cameras, Monitors and Office Equipment: advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and ii. Following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the Closed-Circuit Television (CCTV) Cameras, Monitors and Office **Equipment**, if requested. The Closed-Circuit Television (CCTV) Cameras, Monitors and Office Equipment and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price. The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable Closed-Circuit Television (CCTV) Cameras, Monitors and Office Equipment or components for the Goods for a period of 345 Calendar Days. Closed-Circuit Television (CCTV) Cameras, Monitors and Office **Equipment** or components shall be supplied as promptly as possible, but in any case, within 30 Calendar Days months of placing the order. Packaging -The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit. The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity. The outer packaging must be clearly marked on at least four (4) sides as follows: Name of the Procuring Entity

Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights -

	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	Partial Payment is not allowed
4	The inspections and tests that will be conducted are: inspection of items

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Public Bidding for the Supply, Delivery and Installation of Closed-Circuit Television (CCTV) Cameras, Monitors and Office Equipment for the Emergency Operation Center of the Roxas City Government under ITB No. RC-2023-014

Item No.	Description	Quantity	Delivered, Weeks/Months
1	Supply, Delivery and Installation of Closed- Circuit Television (CCTV) Cameras, Monitors and Office Equipment for the Emergency Operation Center of the Roxas City Government	22	345 Calendar Days

Name of Bidder		
[signature]	[in the capacity of]	
Duly authorized to sign Bid for	and on behalf of	

Section VII. Technical Specifications

Technical Specifications

Public Bidding for the Supply and Delivery of Common Borrow for the Repair and Maintenance of Various Barangay Roads in Roxas City under ITB No. RC-2023-013

Item No.	Item Description	UOM	QTY	Statement of Compliance "Comply" or "Not Comply"
	CCTV Network Video Recorder			
1	Network Video Recorder 128 Channels - IP video input: 128- ch, Incoming/outgoing Bandwidth: 576 Mbps/512 Mbps, HDD Interface: 24 SATA interfaces supporting hot-plug, HDD Capacity Up: to 10 TB for each HDD, Storage extension: 1 × eSATA interface, 2 × mini SAS interface (optional), RAID Type RAID0, RAID1, RAID5, RAID 6, and RAID10, Protocol: IPv6, HTTPS, UPnP, SNMP, NTP, SADP, SMTP, NFS, iSCSI, PPPoE, DDNS: Network interface: 4, RJ45 10M/100M/1000M self-adaptive Ethernet interface, Two-way audio input:1-ch, RCA (2.0 Vp-p, 1 KΩ), Serial port: RS-232; RS- 485; Keyboard, USB interface: Front Panel: 1 × USB 2.0; Rear Panel: 2 × USB 3.0. 1 unit Hard Disk Drive Storage 10TB. 24 units	set		
2	Video Management System / VMS Software	set		

	Video Management System / VMS Software - Cameras General Performance: 3,000 High Performance (RSM): 100,000, Managed Device IP Addresses *Including Encoding Devices, Access Control Devices, Elevator Control Devices, Digital, Signage, Terminals, and Remote Sites , General Performance: 1,024 High Performance: 2,048, Video Intercom Devices 2,048, Alarm Inputs (Including Zones of Security Control Devices) 3,000, Alarm Outputs 3,000, Dock Stations 1,500, Security Radars and Radar PTZ Cameras 30, Alarm Inputs of Security Control Devices 2,048, DS-5600 Series Face Recognition Terminals When Applied with, Turnstiles 32, Recording Servers 64, Streaming Servers 64, Security Audit Server 8, NVR Server 64, ANPR Cameras 3,000, People Counting Cameras Recommended: 300, Heat Map Cameras Recommended: 20, Queue Management Cameras Recommended: 20, Queue Management Cameras Recommended: 300, Digital Signage Terminals 1,024, Areas 3,000,Cameras per Area 256 Alarm Inputs per Area 256, Alarm Outputs per Area 256. 1 unit		
	Video Wall Module. 1 set Video Management System /		
	VMS Hardware/PTZ Controller		
3	Server hardware - Processor		
	Intel® Xeon® E-2124		

			1	T
	Memory 16G DDR4 DIMM slots,			
	Supports UDIMM, up to 2666,			
	MT/s, 64GB Max., Supports			
	registered ECC, Storage			
	Controllers Internal			
	Controllers: SAS_H330,			
	Software RAID: PERC S140,			
	External HBAs: 12Gbps SAS			
	HBA (non-RAID), Boot			
	Optimized Storage Subsystem:			
	2x M.2 240GB (RAID 1 or No, RAID), 1x, M.2240GB (Non-			
	*			
	RAID Only), Drive Bays 1T 7.2K SATA×2, Power Supplies			
	SATA×2, Power Supplies Single 250W (Bronze) power			
	supply, Dimensions Form			
	Factor: Rack (1U), Chassis			
	Width: 434.00mm (17.08 in),			
	Chassis Depth: 595.63mm			
	(23.45 in) (3.5"HHD), Note:			
	These dimensions do not			
	include: bezel, redundant PSU,			
	Dimensions with Package, (W ×			
	D × H) 750 mm × 614 mm × 259			
	mm, (29.53" × 24.17" × 10.2"),			
	Net Weight 12.2 kg, Weight			
	with Package 18.5 kg,			
	Embedded NIC 2 x 1GbE LOM			
	Network Interface Controller			
	(NIC) ports, Device Access			
	Front Ports: 1x USB 2.0, 1 x			
	IDRAC micro USB 2.0,			
	management port, Rear Ports:			
	2 x USB 3.0, VGA, serial			
	connector, Embedded			
	Management iDRAC9 with			
	Lifecycle Controller ,iDRAC			
	Direct ,DRAC RESTful API with			
	Redfish. 1 set			
	PTZ Controller 1 unit			
	Video Wall Monitor			
4	Video Wall Monitor with bracket	set		
4	and HDMI cable - Diagonal size	ે		
	55", Measured 54.6"/138.7cm,			
	100, IVICASUICU 04.0 / 100.7 CIII,		1	

	Resolution 1920x1080(16:9), Brightness (Typ.) 500nit, Orientation Landscape / Portrait, Haze 25%, Contrast Ratio (Typ.) 1200:1, Type IPS, Active Display Area 1209.6(H) x 680.4(V),Pixel Pitch (mm) 0.63x0.63, Connectivity / Sound HDMI 2.0 (2), Stereo mini Jack, USB 2.0 x 1, DP,DVI, HDMI ½, RS232C(in/out), RJ45 in, Dimension (mm) 1213.5 x 684.3 x 73.13, Features Temperature Sensor, Video Wall Daisy Chain(10x10), DP 1.2 Digital Daisy Chain, Clock Battery (168hrs Clock Keeping), Auto Source Switching & Recovery, RS232C/RJ45 MDC, Button Lock, Smart F/W update. 12 units		
5	Videowall Controller - Video input HDMI, Video output HDMI, USB: NA, RS232 1, RS485 1, IR & I/O 3 x IR or 3 x I/O, Audio 1 in + 1 out, SFP(Optic) Optional, PSU: 5V3A (Optional), LAN(POE) 1, Video Compression H.265/264, Video Resolutions Up to 1920 x 1200, Streaming Protocol RTSP, Bit Rates Configurable 4-20Mbps per streams, Copy Protection HDCP 1.4, 3DES, Latency Up to 31ms, Power Consumption 15-30W, Dimension: Dimension of node: 172x86x44mm, NW: 0.5kg/node, Carton of node: 205x195x85mm. 1 unit, Transceiver unit - Video Input HDMI, Video Output HDMI, Video Compression H.265/264, Video Resolutions Up to 1920 x 1200, Streaming Protocol RTSP 15 units, 24 Port Poe Gigabit	set	

	Switch. 1 unit, Sentinel key (control PC) - Software License 1 unit, Configuration/System Set up - Configuration of videowall controller 1 unit, 5Ghz wifi router- Dual-Band Gigabit Wi-Fi Router, 1.6 GHz dual-core ARM-based, 802.11b: up to 11 Mbps 802.11a/g: up to 54 Mbps, 802.11n (2.4 GHz): up to 600 Mbps, 802.11ac (5 GHz): up to 1.3 Gbps 1 unit, Tablet - 12.9-inch 6th Generation128gb with wifi (for control function and initial set up). 1 unit		
6	Operator PC Workstations Workstation Computer with 24 inches LED Monitors - Processor 11th Generation Intel® Core™ i7-11700, Operating System Windows 10 Professional (64-bit), Casing Tower with Tru rated PSU 650 watts, Memory 8gb DDR4, SSD 512GB Storage, Motherboard H5410, Monitor 24" display, Mouse and Keyboard, AVR Secure with UPS 650VA 350 watts. 5 units, HDMI Cable - (High–Speed HDMI Cable 10 meters 4K@60Hz (4:2:0)) 5 units, Mini Display Port to HDMI Adapter. 5 units	set	
7	Centralized UPS Command Center 20KVA UPS - Input 190Vac ~ 486Vac, 45~70Hz, Output 18000W, Battery Capacity 12V/9AH, Rated Battery Voltage 192 or 240Vacz, Alarms Line Failure, Battery Low, Transfer to Bypass, System Fault Conditions, Dimensions 440x220x720, Weight (kg) 36,	set	

	Operating Temperature 0~40 C / 32~104 F, Noise Level <60dBA, Humidity 0-90% (Without condensation), Interface Type Standard RS232 & EPO, Certifications EN62040-1-1, EN62040-2, CE. 1 set		
8	Data cabinet 42u - height: 7ft open bay rack / 42-layer rack server cabinet flat surfacespecial features: widely compatible with most rack-mountable equipment with square mounting holes and 2-post open frame design superior durability and stability with full-steel construction 42-layer of mounting space. 1 unit		
9	Distribution Switch with accessories - Copper Ports 24 10/100/1000BASE-T RJ45 auto-MDI/MDI-X ports, SFP+ Ports 4 10GBASE-SR/LR SFP+ interfaces (Port-25 to Port-28), Compatible with 1000BASE-SX/LX/BX SFP transceiver, Switch Architecture Store-and-forward, Switch Fabric 128Gbps/non-blocking, Throughput 95.23Mpps@64Bytes, Address Table 16K entries, automatic source address learning and aging, Shared Data Buffer 32M bits, Flow Control IEEE 802.3x pause frame for full-duplex, Back pressure for half-duplex. 1 unit		
10	Aggregate Switch Aggregate Switch with accessories - Layer 3 static routing, RIP (Routing Information Protocol), OSPF (Open Shortest	set	

	Path First) with 10Gbps uplink, 128Gbps switching fabric, 4 10GBASE-SR/LR SFP+ ports, 24 100/1000BASE-X mini- GBIC/SFP ports, Eight 10/100/1000BASE-T RJ45 copper ports, Dynamic ARP inspection, MAC-based Access Control List, IP-based Access Control List (ACL), Layer 3 VLAN Routing, Intelligent SFP Diagnosis Mechanism. 1 unit		
11	Fiber Patch Panel & Accessories/ UTP Patch Panel & Accessories 1U Rack Mount Enclosure Unloaded. 1 unit, Fiber Adapter Panel - 24 Fibers OS2 Single Mode, 12 x LC UPC Duplex (Blue) Adapter, Ceramic Sleeve 2 units, Blanking Fiber Adapter Panel - Cover Empty Spaces to Prevent Dust and Provide a Neat Appearance 2 units, Fiber Optical Splice Tray - Houses up to 24 fusion splices, Self-stacking trays with interlocking hinge, Clear, hinged cover 2 units, Fiber Optic Pigtail - 1m (3ft) SC UPC Simplex OS2 Single Mode PVC (OFNR) 0.9mm 24 units, Fiber Optic Patch Cable - 1m (3ft) LC UPC to SC UPC Simplex OS2 Single Mode PVC (OFNR) 2.0mm 24 units, Vertical Wire Manager - Vertical Wire Manager 6ft. 1 unit, Horizontal Wire Manager with cover (Metal 1U) 2 units, Cat.6 1U 19" UTP Patch Panel 24 Port. 1 unit, Cat.6 Patch Cord. 24 units	set	
12	IDF (PDB Panel) for 15 Locations	set	

	T =		ı	Т
	Outdoor Metal Enclosure			
	complete with Splice Box,			
	Lightning Arrester and			
	accessories. 15 sets			
	Industrial Switch			
	Industrial Switch with			
	accessories and UPS - 4			
40	10/100/1000BASE-T RJ45 auto-	0.04		
13	MDI/MDI-X ports, 2 1000BASE-	set		
	SX/LX/BX SFP interfaces (Port-5 to Port-6) Compatible with			
	100BASE-FX SFP, 4 ports with			
	802.3at/af PoE injector function			
	with Port-1 to Port-8. 15 sets			
	High Resolution IP Camera for			
	15 Locations			
	10 Eddations			
	8MP Network Outdoor Box			
	Camera - Image sensor: 1/1.8"			
	Progressive Scan CMOS,			
	Shutter time: 1 s to 1/100,000 s,			
14	Max. Resolution: 3840 x 2160.	set		
	42 units, 4MP Network Outdoor			
	PTZ Camera - Stainless steel			
	with surface spray treatment,			
	One piece stainless steel			
	formation ensures the reliable			
	structure, Adjustable diameter			
	from 67 mm to 127 mm. 2 sets			
	Wirings and Accessories			
	Fiber Optic Cable - Figure 8			
	Armored 36 Core, Aerial Fiber			
	Optic Cable, Single Mode.			
15	19580 lm, Fiber Optic Cable			
	Joint Closure - Waterproof Fiber	004		
	Optic Cable Joint Closure,	set		
	Outdoor Fiber Enclosure. 30			
	units, UTP Cable Outdoor - Cat6 4P U/UTP 23 AWG Solid Cable -			
	PVC,Outdoor 2200 ml, UTP			
	Cable Indoor Cat 6. 305 ml,			
	UTP Cable Indoor Cat 6. 305 ml,			
	Royal cord 18/3 (150m) per roll.			
	i koyai oola toro (Toolii) pei toll.			<u> </u>

	750 ml, RJ45 Connector for Cat6. 168 units		
16	Aerial Cable Accessories Aerial Cable Accessories. 1 unit, Pole clamp - 5"x7" with machine bolt and nut 300 units, Cable clamp - Fabricated Fiber cable service loop bracket 300 units Fiber suspension grip - Fiber Suspension Clamp 3/16 with machine bolt M5/8x8 or U- Shackles 300 units	set	
17	Access Control System (Software and Hardware) Software - Multiple database support (MS SQL, My SQL, Oracle, Kasandra), Architecture supports containers, Multiple OS Support (MS, Linux), Open API - every function is accessible, Access Control System Software. 1 unit Hardware - Access Control System Software. 1 unit Hardware - Access Control System Hardware with accessories - 2 readers – Wiegand D0/D1, door contact egress, door strike, green/red LED control buzzer Inputs – 8 End of line monitored inputs or analog 0-10V inputs, Outputs: 2 x relay (NO/NC), 1A@24Vdc; 5 x open collector; 150mA@15Vdc. 1 unit Board in a Standard large metal Enclosure with 5A, 240V-24V DC Supply (no battery). 1 unit, 5A Power supply 240/110 – 24VDC. 1 unit, Battery Backup 12v 7ah Rechargeable. 1 unit	set	
18	Data Cabinet and Switch 24 Port Non PoE	set	

	DATA CABINET H=12RU - W=21.5" X D=18", FRAMING & PANELLING GAUGE# 16, PLEXIGLASS FRONT DOOR W/ PUSHLOCK, DETACHABLE SIDE PANELS W/ CAMLOCK, W/ 2 PCS. EXHAUST FAN @ THE TOP PANEL 1 unit, Switch 24 Port Non PoE - 24 RJ-45 autosensing 10/100/1000 ports, 2 SFP 1GbE ports, AC Voltage 100-127VAC / 200-240VAC 1 unit		
19	Reader Interfaces/ Biometric Software Card Reader Interface - 2.4 GHz (Bluetooth) Credential Compatibility, 13.56 MHz (NFC) Credential Compatibility, 125 kHz Credential Compatibility, 3 units, Biometric Software - Reads all card types including Mobile Card (NFC and BLE), Extended height range: 145cm – 210CM, Improved face enrollment procedure. 1 unit	set	
20	Electromagnetic Lock - 600 lbs EM Lock with LNZ Bracket and accessories. 4 sets, Power Supply - Panel Type Access Control 5amps w/ Battery. 4 sets, Emergency Break Glass - Green plastic Break glass, Surface mount, COM / NO / NC 3 units, Shunt Key - Key Switch 3 units, Face Recognition Door Station - compact face recognition terminal, biometric face, RF Options 125kHz EM & 13.56MHz MIFARE, MIFARE Plus, DESFire EV1/EV2*, FeliCa, Mobile Card NFC BLE, Power DC 24V 1 unit, Card Reader. 5 units	set	

Conference Room Intercom - Compliance with IEC 60914, GBT 15381-94, 2 channel audio input, XLR or RCA type, for local audio input or remote video- conferencing input, Maximum 8- channel audio output, XLR, RCA or Phoenix type, can be connected to simultaneous				T	
Compliance with IEC 60914, GBT 15381-94, 2 channel audio input, XLR or RCA type, for local audio input or remote video- conferencing input, Maximum 8- channel audio output, XLR, RCA or Phoenix type, can be connected to simultaneous		Conference Room Intercom			
partitioned output, Built-in multi- way internal communication function. 1 unit Conference controller - Power 100V / 240V AC, Static power consumption 12W, Maximum power consumption 150W, Frequency Response 20Hz ~ 20KHz, Noise ratio (S / N) 21 >96dBA, Total harmonic distortion <0.05%, Channel Crosstalk> 85dB, Dynamic range >94dB, RS-232 control: 1x9-pole Sub-D female socket 1x9-pole Sub-D male socket, Ethernet control: RJ45 connected to PC, Mounting: 19" standard rack 1 set Chairman unit - CAT5 Wired Digital Discussion Chairman Unit, Button: Touchable interface, Sound Pickup: heart type capacitance, Display: OLED display 128 x 32, 1 set Delegate unit - CAT5 Wired Digital Discussion Chairman Unit, Button: Touchable interface, Sound Pickup: heart type capacitance, Display: OLED display 128 x 32, 15 sets Gooseneck mic - 410mm	21	Conference Room Intercom - Compliance with IEC 60914, GBT 15381-94, 2 channel audio input, XLR or RCA type, for local audio input or remote video- conferencing input, Maximum 8- channel audio output, XLR, RCA or Phoenix type, can be connected to simultaneous interpretation output or partitioned output, Built-in multi- way internal communication function. 1 unit Conference controller - Power 100V / 240V AC, Static power consumption 12W, Maximum power consumption 150W, Frequency Response 20Hz ~ 20KHz, Noise ratio (S / N) >96dBA, Total harmonic distortion <0.05%, Channel Crosstalk> 85dB, Dynamic range >94dB, RS-232 control: 1×9-pole Sub-D female socket 1×9-pole Sub-D male socket, Ethernet control: RJ45 connected to PC, Mounting: 19" standard rack 1 set Chairman unit - CAT5 Wired Digital Discussion Chairman Unit, Button: Touchable interface, Sound Pickup: heart type capacitance, Display: OLED display 128 × 32, 1 set Delegate unit - CAT5 Wired Digital Discussion Chairman Unit, Button: Touchable interface, Sound Pickup: heart type capacitance, Display: OLED display 128 × 32, 15 sets	set		

	Microphone, with anti-wind foam cover 16 sets		
	Installation and Programming Works		
22	Project Management (Mobilization and Demobilization), Installation, Programming, Testing and Commissioning, Splicing, Training & Warranty Service. 1 unit	lot	

Name of Bidder	·
[signature]	[in the capacity of]
Duly authorized to sign Bid for	and on behalf of

Section VIII. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

	Class A Documents
Legal	<u>Documents</u>
[] (I	or Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document, and
	Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; and
	Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
Techr	nical Documents
(f	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
☐ (g	to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
	certification issued by the Insurance Commission; or
(i)	Original copy of Notarized Bid Securing Declaration; <u>and</u> Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; <u>and</u>
☐ (i	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
<u>Finan</u>	cial Documents
(k	

		BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of
	(I)	bid submission; <u>and</u> The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);
		or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
		Class "B" Documents
	(m)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
		<u>or</u>
		duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
<u>Oth</u>	ner do	cumentary requirements under RA No. 9184 (as applicable)
	(n)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
	(o)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
FIN	ANCI	AL COMPONENT ENVELOPE
	(a)	Original of duly signed and accomplished Financial Bid Form; and
\Box	(b)	Original of duly signed and accomplished Price Schedule(s).

